




*Quality Products & Sales Inc*  
*Orifice Metering Division*

PO Box 7

Broken Arrow Ok 74013

Local #(918) 251-0115 \* Watts #(800) 444-4634 \* Fax #(918) 455-1982

**150# Economy Vertical Basket Strainers**



**SHOWN WITH OPTIONAL LIFT LUG**

PIPE SIZE	NOZZLE SIZE	VESSEL SIZE	A	B	C	D	NOZZLE WALL THICKNESS	VESSEL WALL THICKNESS	PADS REQUIRED	DRAIN SIZE	% RATIO OF INLET ID AREA TO BASKET OPEN AREA
2	2.375	4.500	9.000	17.00	17.00	8.00	.154	.237	NO	3/4	540
3	3.500	6.625	9.000	20.50	19.00	11.50	.216	.280	NO	3/4	534
4	4.500	8.625	11.000	25.00	21.00	14.00	.237	.322	NO	3/4	490
6	6.625	10.750	12.375	29.87	24.00	17.50	.280	.365	NO	3/4	329
8	8.625	12.750	15.000	36.00	28.00	21.00	.322	.375	NO	1.0	305
10	10.750	16.000	17.375	40.87	31.50	23.50	.365	.375	NO	1.0	319
12	12.750	18.000	19.625	46.37	34.00	26.75	.375	.375	NO	1.0	305
14	14.000	18.000	22.000	50.75	38.00	28.75	.375	.375	NO	2.0	308
16	16.000	24.000	22.000	54.25	40.50	32.25	.375	.375	NO	2.0	302
18	18.000	24.000	24.000	60.25	48.00	36.25	.375	.375	NO	2.0	305
20	20.000	24.000	24.000	66.25	63.37	42.25	.375	.375	NO	2.0	306
24	24.000	30.000	31.875	82.50	71.25	50.625	.375	.500	NO	2.0	304

**MATERIALS:** Carbon Steel, Stainless Steel, Chromoly, Monel, Hastelloy

*Other materials available*

**Fabrication Codes:** ASME B31.1 & B31.3

*Complete Meter Tubes Available*

By using the unique offset basket concept a smaller body can be used and still maximize annulus area.